


Danger Level 2 - Moderate



Watch out for wind-drifted snow that has created unstable snow slabs and pillows.

Due to snowfall and strong wind there is a MODERATE avalanche danger in the Tatras and Low Tatras, in positions above the forest zone, 2nd degree. The avalanche danger is local, concentrated in places where the wind blows a larger amount of new snow. Such locations are relatively easy to spot in the terrain. The new snow is deposited in the form of unstable snow slabs and pillows in gullies, moguls and under rock walls. Avalanche release on such steep slopes, where old frozen snow is still under the new snow, is possible, especially with additional loading. Larger spontaneous avalanches are not expected.


Snowpack

The snow cover is varied. During the last snowfall period, 20 to 35 cm of new snow fell. However, this has been transported by strong winds to leeward places and into the forest belt, where it is more than 50 cm high. In places exposed to the wind, the surface of the snow is blown down to the old snow, possibly rocks and grass. Due to the very low temperatures, the new snow cannot bind with the old snow base and remains unstable. Underneath the new snow and the old hard crust there is a distinct layer of faceted snow. This can be an avalanche problem at higher additional loads. Old frozen snow is found from about 1400-1700 m above sea level (depending on orientation and mountain range). The total snow depth remains below average, ranging from 20 to 70 cm.

Tendency

persistent

Danger Level 2 - Moderate



Tendency: Constant avalanche danger →
on Saturday 03 01 2026



Wind slab



Treeline

Snowpack stability: **poor**

Frequency: **few**

Avalanche size: **medium**

Watch out for wind-blown snow that has created unstable snow slabs and pillows.

Due to snowfall and strong winds, there is a moderate avalanche danger in the Fatra Mountains above the forest zone, 2nd degree. The avalanche danger is local, concentrated in places where the wind blows a larger amount of new snow. This is in the form of unstable snow slabs and pillows in couloirs, moguls and under saddles. Avalanche release on such steep slopes, where old frozen snow is still under the new snow, is possible, especially with additional loads. Larger spontaneous avalanches are not expected.

Snowpack

The snow cover is varied. 20 to 35 cm of new snow has fallen in the last 3 days. However, due to strong NW winds, it has been transported to leeward places and into the forest zone, where its height reaches even more than 50 cm. In wind-exposed areas, the snow surface is blown down to old snow, possibly rocks and grass. Due to the very low temperatures, the new snow cannot bind with the old snow base and remains unstable. The old frozen snow is only found from about 1400 m above sea level (depending on orientation). The total snow depth remains below average, ranging from 20 to 50 cm.

Tendency

persistent